AWNING REPUBLIC

COMMERCIAL ARCHITECTURAL UMBRELLA RANGE

INDEX

Index 2

About Us 3

The Portable Range 4

The Horizon Range 5

The Sunset Range 6

The Typhoon Range 7

The Vista Range 8

The Panorama Range 9

The Hypar Range 10

Fabric Facades 11

Shade Structures 12

Umbrella Specifications 13-14

Product Specification Matrix 15

Accreditations 16

ABOUT US

Skyspan™ have spent years of research and invested in excess of $1.25M in the development of our Umbrella and Hypar range of Tensile Structures to arrive at a unique and innovative product line which we truly believe is among the best in the World.

Our Head Office is based in Southeast Queensland Australia, from where all of our National and International Distributors and Clientele are serviced.

Together with our Distributors, specifically selected for their knowledge in the Shade Industry and total Dedication to their Product, we are able to offer a truly Global service to all of our end Clients.

Our distinct range of Umbrellas and Hypar structures include features such as; centre or cantilevered columns, static or retractable canopies, portable or permanent installations, umbrella, hypar or gazebo styles. Accessories include integrated lighting, fabric curtains, corporate branding and heaters, to name a few.

All our Umbrellas and Hypars are Engineer Certified, Wind Rated and UV Stable, available in a wide range of sizes, shapes and colours. Our In-House Engineers enable Skyspan™ the ability to custom make Structures to suite Client Specification, including larger Tensile Structures, Commercial Car Park Structures and the likes.

THE PORTABLE RANGE

Styles Available			Wind Rating		Frame Material		Column Type			Features			Price			
SQUARE	HEXAGONAL	RECTANGULAR	148Km/h	112Km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

Our Portable range is designed to be light & easy to handle, easily removable from in-ground sockets or above-ground base plates, compatible with a large assortment of existing tables and sockets, yet able to withstand wind gusts of up to 60 kph

- Available in 1.9m, 2.4m, 3.0m & 3.5m sizing.
- Easily retracted or opened with a rope and pulley system.
- Made from high tensile, corrosion resistant structural powder coated aluminium.
- Outside column diameter of Ø49mm which fits inside most standard table umbrella holes.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cables and fittings.
- 1 year warranty on frame and fabric.
- Engineered up to 60km/h wind rating
- Accessory options include ‘in-ground’ or ‘above-ground’ lockable base plates and corporate branding.

THE HORIZON RANGE



Designed with flexibility in mind, the Horizon range is ideal for Alfresco Dining, Resorts and Entertainment Venues. Available in several shapes with high corrosion resistance materials, a wide range of accessories and a W33 (112kph) wind rating, it's easy to see why the Horizon range is a favourite.

- Available in square, hexagonal or rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Made from a high tensile, corrosion resistant, structural alloy, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 10 year frame anti-rust policy, 5 year structural warranty on the frame & minimum 5 year fabric manufacturer's warranty on the canopy.
- Engineer wind rated to 112 kph (W33).
- Accessory options include integrated PVC fabric curtains, rain diverters, link panels (to join umbrellas), corporate branding, down/up lights, heaters and speaker systems.

THE SUNSET RANGE

Styles Available			Wind Rating		Frame Material		Column Type			Features			Price		
SQUARE	HEXAGONAL	RECTANGULAR	148km/h CLOSED	112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

The brilliance of our Sunset umbrellas is that in extreme weather conditions they can be retracted easily and quickly. The unique gearing mechanism neatly concealed within the column of the umbrella allows the unit to be wound down via removable handle or automatically via remote control, ideal for cafes, restaurants and holiday resorts.

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Fully retractable with optional remote control for ease of retracting or deploying the canopy.
- Made from high tensile, corrosion resistant structural grade aluminium, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- 10 year frame anti rust policy, 5 year structural warranty & 2 year warranty on the canopy.
- Marine grade stainless steel catenary cable and fittings.
- Engineered wind rated 112 kph (W33) open & 148 kph (W41) closed.
- Accessory options include fabric curtains, rain diverters, link panels (joining umbrellas), corporate branding, down/up lights, heaters and speaker systems.

THE TYPHOON RANGE

Styles Available			Wind Rating		Frame Material		Column Type			Features			Price		
SQUARE	HEXAGONAL	RECTANGULAR	148Km/h OPEN	112 Km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

The clear choice for coastal resorts, exposed public spaces and wind-prone environments. Typhoon umbrellas are engineer certified to a wind rating W41 (148 KPH). Combine that with an industry leading structural & canopy warranty and you have shade with piece of mind.

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Made from high tensile, structural grade aluminium with additional bracing for strength, powder coated to any colour in the Dulux/Interpon range.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 10 year frame anti rust policy, 5 year structural warranty on the frame & canopy.
- Engineer wind rated to 148 kph (W41).
- Range of accessories including lighting, heating, corporate branding & link panels.



* Curtains dramtically reduce the wind rating of the Umbrella .

THE VISTA RANGE

Styles Available			Wind Rating		Frame Material		Column Type			Features			Price		
SQUARE	HEXAGONAL	RECTANGULAR	148km/h CLOSED	112km/h OPEN	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

The Vista range has a cantilevered frame ideal for pools, cafes and public spaces where clear space under the canopy is preferred. The optional 360 degree pivoting base is perfect for utilising the shade at varying times of the day or for covering more than one area.

- Available in square, hexagonal and rectangular shapes.
- 2.4m – 5.6m standard sizing.
- Proprietary concealed winding mechanism allows for quick retracting in extreme weather.
- Made from a hot dipped galvanised structural steel, powder coated to any Dulux/Interpon colour.
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- Marine grade stainless steel catenary cable and fittings.
- 5 year structural warranty on the frame & 2 year warranty on the canopy.
- Engineer wind rated to 112 kph (W33) open & 148 kph (W41) closed.
- Accessory options include 360 degree pivot base, PVC curtains, rain diverters, link panels (joining umbrellas), corporate branding, down/up lights, heaters and speaker systems.

THE PANORAMA RANGE

Styles Available	Wind Rating	Frame Material	Column Type	Features	Price
SQUARE	148km/h OPEN	STEEL	CENTRE COLUMN	FIXED	PREMIUM

The Panorama range's primary feature is its perimeter frame. The structural perimeter frame makes hanging curtains a breeze, allows for easy mounting of heating, cooling and lighting systems whilst contributing to a W41 (148kph) wind rating.

- Available in centre column, cantilevered or gazebo style post arrangements.
- 3.0m – 8.0m standard sizing.
- Non Retractable.
- Frame constructed from structural grade C350 steel, hot dip galvanised and powder coated to any colour in the Dulux/Interpon range
- Low maintenance, translucent, heat reflective, UV treated and fully welded architectural grade PVC membrane available in a large variety of colours.
- 5 year structural warranty on the frame & minimum 5 year fabric manufacturer's warranty on the canopy.
- Engineered to W41 (148kph) winds in terrain category 3 for areas with high wind conditions.
- Accessory options include PVC curtains, gutters, link panels (joining adjacent umbrellas), corporate branding, down/up lights, heaters, electrical access points and speaker systems.

THE HYPAR RANGE

Styles Available			Wind Rating		Frame Material		Column Type			Features			Price		
SQUARE	HEXAGONAL	RECTANGULAR	148Km/h	112Km/h	ALUMINIUM	STEEL	CENTRE COLUMN	CANTILEVERED	GAZEBO	PORTABLE	FIXED	RETRACTABLE	ENTRY LEVEL	STANDARD	PREMIUM

Looking for something different? Skyspan's Hypar range is a new take on the classic umbrella style. Proving popular with Architects and Designers, our Hypars are often found in public spaces, commercial precincts, shopping centres and the like. Talk to us about a custom solution for your shade requirement today.

- Standard shape is square - Custom design is available.
- 2.4m – 5.6m sizing.
- Non retractable - centre column and cantilever options available.
- Made from a hot dipped galvanised strucutural steel powder coated to any Dulux/Interpon colour.
- PVDF fully welded canopies with wide range of colours available.
- Marine grade stainless steel accessories, catenary cable and fittings.
- 5 year warranty on frame and 2 year warranty on the canopy.
- Engineered wind rated to 112 kph (W33) or 148 kph (W41) as required.
- Accessory options include screen printing, down/up lights, heaters, electrical access points, misting units and speaker systems.

FABRIC FACADES

Want to add some style to your building? Need a large scale business Advertisement? Want to keep cool and save power? It's all possible with Skyspan's patented Profil Tension system.The Profil tension system along with our specialised fabrics actively prevents sag and warp keeping your large scale facade looking it's best for years to come.

- Designed to improve the aesthetic of your building quickly and easily.
- Can be used as shade, facade or even louvres *(see photo bottom right).*
- Available in a range of colours.
- Variety of trasparent, opaque and water proof options available.
- Ideal for corporate advertising & branding.
- Louvre panels easily exchanged for interchangeable branding.
- Patented Profil tension system actively prevents sag, warp or flap.
- Custom structural alloy frame will not rust, corrode or stain your facade.
- Engineer wind rated to suit your building and location.
- Can be designed to reduce heat load on your building reducing cooling costs.
- Easily repaired, rebranded or changed to suit your needs.

SHADE STRUCTURES

Skyspan Membranes, structures and sails are a perfect combination of architecture and engineering. We combine fabric of high tensile strength and flexibility together with a support system to form a stable structure. This creates expansive dramatic spaces that withstands the extremes of the outdoor elements.

- Architectural design service available.
- Happy to work your own Architect, Engineer or Designer.
- Inhouse engineering, shade design and manufacture.
- Construction analysis for Project Managment.
- Feasibility Studies, budget planning and QA services available.
- Member of HIA, BSA and Master Builders Associations.
- Professional, qualified and trained team of installers.
- Ability to service international clients.
- Ongoing service and employee training service available.

To find out more visit ***www.skyspanshade.com.au***

PORTABLE RANGE

ALUMINIUM • RETRACTABLE • CENTRE COLUMN • 60KPH WIND RATING

SQUARE,
CENTER COLUMN



MODEL	L	W	H	H1
S19SP	1900	1900	2250	3050
S24SP	2450	2450	2250	3050
S30SP	3050	3050	2250	3050

SUNSET RANGE

ALUMINIUM • RETRACTABLE • CENTRE COLUMN • W33 WIND RATING

SQUARE,
CENTER COLUMN



MODEL	L	W	H	H1
S24S	2380	2380	2250	3140
S30S	3130	3130	2250	3340
S35S	3500	3500	2250	3366
S40S	4000	4000	2410	3530

RECTANGULAR
CENTER COLUMN



MODEL	L	W	H	H1
S43R	3950	2950	2370	3400

HEXAGONAL
CENTER COLUMN



MODEL	L	W	H	H1
S44H	4415	3830	2250	3325
S50H	4360	4310	2250	3350
S56H	5610	4880	2270	3445

HORIZON RANGE

ALUMINIUM • NON RETRACTABLE • CENTRE COLUMN • W33 WIND RATING

SQUARE,
CENTER COLUMN



MODEL	L	W	H	H1
H24S	2380	2380	2250	3140
H30S	3130	3130	2250	3340
H35S	3500	3500	2250	3366
H40S	4000	4000	2410	3530

RECTANGULAR
CENTER COLUMN



MODEL	L	W	H	H1
H43R	3950	2950	2370	3400

HEXAGONAL
CENTER COLUMN



MODEL	L	W	H	H1
H44H	4415	3830	2250	3325
H50H	4360	4310	2250	3350
H56H	5610	4880	2270	3445

TYPHOON RANGE

ALUMINIUM • RETRACTABLE • CENTRE COLUMN • W41 WIND RATING

SQUARE,
CENTER COLUMN



MODEL	L	W	H	H1
T24S	2380	2380	2250	3140
T30S	3130	3130	2250	3340
T35S	3500	3500	2250	3366
T40S	4000	4000	2410	3530

RECTANGULAR
CENTER COLUMN



MODEL	L	W	H	H1
T43R	3950	2950	2370	3400

HEXAGONAL
CENTER COLUMN



MODEL	L	W	H	H1
T44H	4415	3830	2250	3325
T50H	4360	4310	2250	3350
T56H	5610	4880	2270	3445

VISTA RANGE

STRUCTURAL STEEL • RETRACTABLE • CANTILEVER • W33 WIND RATING

SQUARE,
CANTILEVER



MODEL	L	W	H	H1
V24S	2380	2380	2250	3760
V30S	3130	3130	2250	3803
V35S	3500	3500	2250	3803
V40S	4000	4000	2410	3803
V50S	5000	5000	2500	4000

RECTANGULAR
CANTILEVER



MODEL	L	W	H	H1
V43R	3950	2950	2370	3803

HEXAGONAL
CANTILEVER



MODEL	L	W	H	H1
V44H	4415	3830	2250	3545
V50H	4360	4310	2250	3578
V56H	5610	4880	2270	3637

HYPAR RANGE

STRUCTURAL STEEL • FIXED • CENTRE • W41 WIND RATING

SQUARE,
CENTER COLUMN



MODEL	L	W	H	H1
H30H	3000	3000	2250	3380
H40H	4000	4000	2250	3680
H50H	5000	5000	2300	3990

PANORAMA RANGE

STRUCTURAL STEEL • FIXED • CENTRE, CANTILEVERED OR GAZEBO • W41 WIND RATING

SQUARE,
CENTER COLUMN



	L	W	H	H1
P30S	3000	3000	2400	3380
P40S	4000	4000	2400	3680
P50S	5000	5000	2400	3990
P60S	6000	6000	2400	4446

SQUARE,
CANTILEVER



MODEL	L	W	H	H1
P30SC	3000	3000	2400	3735
P40SC	4000	4000	2400	4040
P50SC	5000	5000	2400	4360
P60SC	6000	6000	2400	4810

GAZEBO,
FIXED



MODEL	L	W	H	H1
P50SG	5000	5000	2400	3990
P60SG	6000	6000	2400	4450
P80SG	8000	8000	2400	4850

Authorised Reseller

AWNING REPUBLIC

Unit 2 / 9 Milford St, East Victoria Park
Telephone: 08 9361 2728
Email: info@awningrepublic.com.au

SPECIFICATION MATRIX

Skyspan Umbrella Range	Portable Po	Horizon Ho	Sunset Su	Typhoon Ty	Vista Vi	Panorama Pa	Hypar Hy
Shapes Available							
Square	•	•	•	•	•	•	•
Rectangle		•	•	•	•		
Hexagonal		•	•	•	•		
Wind Rating							
Up to 60Kmh	•						
W33- up to 112Kph		•	•		•		•
W41- up to 148Kph			•	•	•	•	•
Frame Material							
Steel					•	•	•
Aluminium	•	•	•	•			
Frame Type							
Center Column	•	•	•	•		•	•
Cantilever					•	•	•
Gazebo						•	
Umbrella Features							
Fixed Open		•				•	•
Retractable Fixed			•	•	•		
Retractable Portable	•						
Perimeter frame						•	
Accessories							
Side Curtains		•			•	•	•
Lighting Systems		•	•	•	•	•	•
Electric Heaters		•	•	•	•	•	•
Power Points		•	•	•	•	•	•
Speaker systems		•	•	•	•	•	•
Link Panels		•		•	•	•	•
Corporate Branding		•	•	•	•	•	•
Remote Electrical Retraction System			•	•	•		
360 Degree Pivot Base					•	•	•
Gutter System		•	•		•	•	

ACCREDITATIONS

HOUSING INDUSTRY ASSOCIATION	
MASTER BUILDERS ASSOCIATION	
OHS PREQULAIFICATION 00674	
MEHLER ECO CARE	
SPECIALISED TEXTILES ASSOCIATION	
VINYL PLUS	
VINYL LOOP	
LOCAL BUY	Local Buy Preferred Supplier Arrangement (PSA) Open Spaces, Parks, Gardens & All Ability Playgrounds Contract: BUS 201-0810
AUSTRALIAN MADE	